



W	D	H	Cat. No.	Price	Per	Wt.	Pkg.
---	---	---	----------	-------	-----	-----	------

RivetRite Shelving - General Information

- 48" to 96" wide beams
- Access to stored items from all sides
- Choice of Double Rivet or Single Rivet beam construction to meet your storage requirements
- Easy assembly without special tools
- Units available in 84" and 120" heights
- 723 Light Putty Powdercoat finish



Starter Unit



Add-On Unit

Penco RivetRite shelving is designed to provide an economical solution for the storage of retail, wholesale or industrial goods. Installation can be done without special tools in a minimum amount of time. All steel parts in the QuickShip program are finished in attractive 723 Light Putty baked enamel.

Starter and add-on units are combined to form economical rows of shelving. Each add-on unit includes a pair of tee posts which are used in common between units. This reduces assembly time and the number of parts required. Begin each row with two angle posts from the starter unit and join the desired number of add-on units to complete the row. Finish the last unit with a pair of angle posts from the starter unit. Example: One starter and two add-ons.

ALL units must have a full perimeter of double rivet beams at the top and bottom to insure a stable and rigid unit.

Shelf deck material is not available in the QuickShip program. It must be obtained outside the QuickShip program or purchased locally (particleboard supplied by Penco on a production basis is classified as '1-M-1 Interior Grade').

If you are cutting your own board, use the nominal shelf deck size and cut +0" -1 /8".

Double Rivet Units without Center Supports Consist of:

Starter Units


- 4 Standard Angle Posts
- 2 Double Rivet Angle Beams left to right per shelf level
- 2 Double Rivet Angle Beams front to back per shelf level

Add-On Units

- 2 Standard Tee Posts
 - 2 Double Rivet Angle Beams left to right per shelf level
 - 2 Double Rivet Angle Beams front to back per shelf level
- Color: 723 Light Putty

Shelf deck material MUST be obtained separately - it is not available in the QuickShip program.

Double Rivet Units (w/o Center Support)




4 Shelf Starter Unit, 48" Wide

48	18	84	46001HP	344.75	Unit59.2
48	24	84	46002HP	359.55	Unit62.4
48	30	84	46003HP	374.35	Unit65.6
48	36	84	46004HP	392.10	Unit68.0
48	48	84	46005HP	448.35	Unit80.0

4 Shelf Starter Unit, 72" Wide

72	18	84	46021HP	430.60	Unit74.4
72	24	84	46022HP	445.40	Unit77.6
72	30	84	46023HP	460.20	Unit80.8
72	36	84	46024HP	477.90	Unit83.2
72	48	84	46025HP	534.20	Unit95.2




4 Shelf Add-On Unit, 48" Wide

48	18	84	46006HP	340.35	Unit57.2
48	24	84	46007HP	355.15	Unit60.4
48	30	84	46008HP	369.90	Unit63.6
48	36	84	46009HP	387.70	Unit66.0
48	48	84	46010HP	443.90	Unit78.0


4 Shelf Add-On Unit, 72" Wide

72	18	84	46026HP	426.15	Unit72.4
72	24	84	46027HP	440.95	Unit75.6
72	30	84	46028HP	455.75	Unit78.8
72	36	84	46029HP	473.50	Unit81.2
72	48	84	46030HP	529.70	Unit93.2



5 Shelf Starter Unit, 72" Wide

72	30	120	46041HP	609.60	Unit104.2
72	36	120	46042HP	631.75	Unit107.2
72	48	120	46043HP	702.10	Unit122.2



5 Shelf Add-On Unit, 72" Wide

72	30	120	46044HP	587.40	Unit101.6
72	36	120	46045HP	609.60	Unit104.6
72	48	120	46046HP	679.90	Unit119.6

NOTES

- Double Rivet Beams 48" or longer in these units are Heavy Duty, all others are Standard Beams.
- All Unit Catalog Numbers are for Steel Framing only.
- Shelf deck material must be obtained separately.

The price books are only for reference, if there are any discrepancies between the price book and EQ, EQ will override the price book.

W	D	H	Cat. No.	Price	Per	Wt.	Pkg.
---	---	---	----------	-------	-----	-----	------

W	D	H	Cat. No.	Price	Per	Wt.	Pkg.
---	---	---	----------	-------	-----	-----	------

Double Rivet Units with Center Supports Consist of:

Starter Units

- 4 Standard Angle Posts
- 2 Double Rivet Angle Beams left to right per shelf level
- 2 Double Rivet Angle Beams front to back per shelf level
- 1 Center Support per shelf level except for 96" wide units which have 2 per level.

Add-On Units

- 2 Standard Tee Posts
- 2 Double Rivet Angle Beams left to right per shelf level
- 2 Double Rivet Angle Beams front to back per shelf level
- 1 Center Support per shelf level except for 96" wide units which have 2 per level.


All double rivet beam units must have a full perimeter of beams at every level.

ALL units must have a full perimeter of double rivet beams at the top and bottom to insure a stable and rigid unit.

Color: 723 Light Putty

Shelf deck material MUST be obtained separately - It is not available in the QuickShip program.

Double Rivet Units (w/Center Support)



4 Shelf Starter Unit, 48" Wide


48	18	84	46W01HP	387.70	Unit	64.8
48	24	84	46W02HP	406.90	Unit	69.6
48	30	84	46W03HP	430.60	Unit	74.4
48	36	84	46W04HP	457.20	Unit	78.8
48	48	84	46W05HP	535.60	Unit	94.0

4 Shelf Starter Unit, 72" Wide

72	18	84	46W21HP	473.50	Unit	80.0
72	24	84	46W22HP	492.70	Unit	84.8
72	30	84	46W23HP	516.35	Unit	89.6
72	36	84	46W24HP	543.00	Unit	94.0
72	48	84	46W25HP	621.45	Unit	109.2

4 Shelf Starter Unit, 96" Wide

96	18	84	46W31HP	581.50	Unit	100.0
96	24	84	46W32HP	605.15	Unit	106.4
96	30	84	46W33HP	637.70	Unit	112.8
96	36	84	46W34HP	673.25	Unit	119.2
96	48	84	46W35HP	773.85	Unit	137.6



4 Shelf Add-On Unit, 48" Wide

48	18	84	46W06HP	383.20	Unit	62.8
48	24	84	46W07HP	402.50	Unit	67.6
48	30	84	46W08HP	426.15	Unit	72.4
48	36	84	46W09HP	452.80	Unit	76.8
48	48	84	46W10HP	531.15	Unit	92.0

4 Shelf Add-On Unit, 72" Wide

72	18	84	46W26HP	469.00	Unit	78.0
72	24	84	46W27HP	488.30	Unit	82.8
72	30	84	46W28HP	512.00	Unit	87.6
72	36	84	46W29HP	538.55	Unit	92.0
72	48	84	46W30HP	616.95	Unit	107.2

4 Shelf Add-On Unit, 96" Wide

96	18	84	46W36HP	577.05	Unit	98.0
96	24	84	46W37HP	600.70	Unit	104.4
96	30	84	46W38HP	633.30	Unit	110.8
96	36	84	46W39HP	668.75	Unit	117.2
96	48	84	46W40HP	769.35	Unit	135.6




5 Shelf Starter Unit, 72" Wide

72	30	120	46W41HP	679.90	Unit	115.2
72	36	120	46W42HP	713.15	Unit	120.7
72	48	120	46W43HP	811.15	Unit	139.7

5 Shelf Starter Unit, 96" Wide

96	30	120	46W47HP	831.50	Unit	144.2
96	36	120	46W48HP	875.90	Unit	152.2
96	48	120	46W49HP	1001.65	Unit	175.2



5 Shelf Add-On Unit, 72" Wide

72	30	120	46W44HP	657.70	Unit	112.6
72	36	120	46W45HP	690.95	Unit	118.1
72	48	120	46W46HP	788.95	Unit	137.1

5 Shelf Add-On Unit, 96" Wide

96	30	120	46W50HP	809.30	Unit	141.6
96	36	120	46W51HP	853.70	Unit	149.6
96	48	120	46W52HP	979.50	Unit	172.6

W	D	H	Cat. No.	Price	Per	Wt.	Pkg.
---	---	---	----------	-------	-----	-----	------

Single Rivet Units Consist of:

Starter Units

- 4 Standard Angle Posts
- 4 Double Rivet Angle Beams left to right
- 4 Double Rivet Angle Beams front to back
- The appropriate number of Single Rivet Shelf Beams left to right.

- 2 Single Rivet Shelf Beams front to back up to 24" deep;
- 36" Deep - Single Rivet Shelf Beams front to back at every shelf level

Add-On Units


- 2 Standard Tee Posts
- 4 Double Rivet Angle Beams left to right
- 2 Double Rivet Angle Beams front to back, except 36" deep unit has 4. The appropriate number of Single Rivet Shelf Beams left to right.
- 1 Single Rivet Shelf Beam front to back except for 36" deep which has 2 per shelf level.

All units must have a full perimeter of double rivet beams at the top and bottom to insure a stable and rigid unit.

Color: 723 Light Putty

Shelf deck material MUST be obtained separately - It is not available in the QuickShip program.

Single Rivet Shelving Units




5 Shelf Starter Unit

36	12	84	461315P	279.65	Unit	42.4
36	18	84	461325P	284.10	Unit	44.6
36	24	84	461335P	295.95	Unit	46.6
36	36	84	461345P	365.50	Unit	56.8
48	12	84	461415P	321.10	Unit	51.4
48	18	84	461425P	325.55	Unit	52.0
48	24	84	461435P	337.35	Unit	55.6
48	36	84	461445P	359.55	Unit	65.8




5 Shelf Add-On Unit

36	12	84	462355P	254.55	Unit	40.4
36	18	84	462365P	256.75	Unit	42.6
36	24	84	462375P	262.65	Unit	44.6
36	36	84	462385P	261.65	Unit	54.8
48	12	84	462455P	295.95	Unit	49.4
48	18	84	462465P	298.15	Unit	50.0
48	24	84	462475P	304.05	Unit	53.6
48	36	84	462485P	402.50	Unit	63.8



6 Shelf Starter Unit

36	12	84	461316P	303.35	Unit	45.6
36	18	84	461326P	307.75	Unit	47.8
36	24	84	461336P	319.65	Unit	49.8
36	36	84	461346P	412.80	Unit	63.2
48	12	84	461416P	349.25	Unit	55.6
48	18	84	461426P	353.60	Unit	57.8
48	24	84	461436P	365.50	Unit	59.8
48	36	84	461446P	387.70	Unit	73.2



6 Shelf Add-On Unit

36	12	84	462356P	278.25	Unit	43.6
36	18	84	462366P	280.45	Unit	45.8
36	24	84	462376P	286.35	Unit	47.8
36	36	84	462386P	408.45	Unit	61.2
48	12	84	462456P	324.00	Unit	53.6
48	18	84	462466P	326.25	Unit	55.8
48	24	84	462476P	332.25	Unit	57.8
48	36	84	462486P	454.20	Unit	71.2



7 Shelf Starter Unit

36	12	84	461317P	327.05	Unit	48.8
36	18	84	461327P	331.40	Unit	51.0
36	24	84	461337P	343.30	Unit	53.0
36	36	84	461347P	460.20	Unit	69.6
48	12	84	461417P	377.30	Unit	59.8
48	18	84	461427P	381.75	Unit	60.4
48	24	84	461437P	393.65	Unit	64.0
48	36	84	461447P	415.80	Unit	80.6



7 Shelf Add-On Unit

36	12	84	462357P	301.85	Unit	46.8
36	18	84	462367P	304.05	Unit	49.0
36	24	84	462377P	310.05	Unit	51.0
36	36	84	462387P	455.75	Unit	67.6
48	12	84	462457P	352.15	Unit	57.8
48	18	84	462467P	354.45	Unit	58.4
48	24	84	462477P	360.30	Unit	62.0
48	36	84	462487P	506.00	Unit	78.6



8 Shelf Starter Unit

36	12	84	461318P	350.70	Unit	52.0
36	18	84	461328P	355.15	Unit	54.2
36	24	84	461338P	366.95	Unit	56.2
36	36	84	461348P	507.50	Unit	76.0
48	12	84	461418P	405.40	Unit	64.0
48	18	84	461428P	409.90	Unit	64.6
48	24	84	461438P	421.70	Unit	68.2
48	36	84	461448P	443.90	Unit	88.0



8 Shelf Add-On Unit

36	12	84	462358P	325.55	Unit	50.0
36	18	84	462368P	327.75	Unit	52.2
36	24	84	462378P	333.65	Unit	54.2
36	36	84	462388P	503.10	Unit	74.0
48	12	84	462458P	380.30	Unit	62.0
48	18	84	462468P	382.50	Unit	64.2
48	24	84	462478P	388.45	Unit	66.2
48	36	84	462488P	557.80	Unit	82.8

W	D	H	Cat. No.	Price	Per	Wt.	Pkg.
---	---	---	----------	-------	-----	-----	------

W	D	H	Cat. No.	Price	Per	Wt.	Pkg.
---	---	---	----------	-------	-----	-----	------

Record Storage Units For Use With Decking Consist of:

Starter Units

- 4 Standard Angle Posts
- 2 Double Rivet Angle Beams left to right per shelf level
- 2 Double Rivet Angle Beams front to back per shelf level
- 1 Center Support per shelf level for 69" w. x 30" d. only.

Add-On Units

- 2 Standard Tee Posts
- 2 Double Rivet Angle Beams left to right per shelf level
- 2 Double Rivet Angle Beams front to back per shelf level
- 1 Center Support per shelf level for 69" w. x 30" d. only.

All double rivet beam units must have a full perimeter of beams at every level.

Color: 723 Light Putty

Shelf deck material **MUST** be obtained separately - It is not available in the QuickShip program.

RivetRite Components & Parts

Angle Posts (Punched on 1-1/2" centers)



Standard, 1-1/2" x 1-1/2"			
72	46AS06P	24.05 Ea.	4.1
84	46AS07P	27.80 Ea.	4.8
96	46AS08P	32.25 Ea.	5.5

Tee Posts (Punched on 1-1/2" centers)




Standard, 3" x 1-1/2"			
72	46TS06P	45.90 Ea.	7.4
84	46TS07P	53.30 Ea.	8.6
96	46TS08P	58.85 Ea.	9.9

NOTE: Standard Duty RivetRite Angle and Tee Posts are not recommended for use in high rise or multiple-level storage structures. For these applications, Heavy Duty RivetRite posts should be used. Contact your Penco representative for more information.

Single Rivet Shelf Beams


For use as left to right and front to back shelf support. See Beam Load Table in III. Price Boo for capacity. **NOTE: DO NOT MIX STANDARD AND HEAVY DUTY SINGLE RIVET BEAMS ON THE SAME LEVEL.**



Standard			
15	1	46SS15P	6.30 Ea. 0.7
18	1	46SS18P	6.70 Ea. 0.9
24	1	46SS24P	8.95 Ea. 1.1
30	1	46SS30P	9.40 Ea. 1.3
36	1	46SS36P	11.90 Ea. 1.6
42	1	46SS42P	12.50 Ea. 1.9
48	1	46SS48P	14.10 Ea. 2.1
Heavy Duty			
48	1-1/4	46HS48P	23.35 Ea. 4.2

Double Rivet Angle Beams


2-3/4" h. x 1" d. - For left to right and front to back shelf support.



Standard			
15		46SB15P	8.20 Ea. 1.0
18		46SB18P	8.60 Ea. 1.2
24		46SB24P	10.05 Ea. 1.6
30		46SB30P	11.90 Ea. 2.0
36		46SB36P	14.10 Ea. 2.3
42		46SB42P	15.95 Ea. 2.7
Heavy Duty			
48		46HB48P	21.15 Ea. 3.8
72		46HB72P	31.90 Ea. 5.7
96		46HB96P	40.00 Ea. 7.5

Record Storage Shelving Units

Obtain Deck Material Separately.



For Use With Decking

Starter Units

42	15	84	46601AP	303.35	Unit48.8
42	30	84	46602AP	332.95	Unit56.8

Obtain Deck Material Separately.



Add-On Units

42	15	84	46613AP	298.90	Unit46.8
42	30	84	46614AP	328.50	Unit54.8




RivetRite® Components - 723 Light Putty / Intro to Lockers

W	D	H	Cat. No.	Price	Per	Wt.	Pkg.
---	---	---	----------	-------	-----	-----	------

Center Supports

2-3/4" h. - Bolts to double rivet or channel beams to add support to decking and stabilize beams. Supplied with bolts and wing nuts for fast assembly. Use 1 per pair of beams under 96"; 2 per pair of 96" beams.



15			46CS15P	10.05	Ea.	1.2
18			46CS18P	10.75	Ea.	1.4
24			46CS24P	11.90	Ea.	1.8
30			46CS30P	14.10	Ea.	2.2
36			46CS36P	16.35	Ea.	2.7
48			46CS48P	25.20	Ea.	3.5


Foot Plate

For use in anchoring angle and tee posts to the floor. Hardware included for attaching to posts. Floor anchor holes are 1/2" diameter. Hardware to anchor to the floor not included - see No. 9280, Concrete Floor Anchor in Wide Span Section.



4			46FP0HQ5	6.35	Ea.	0.5
---	--	--	----------	------	-----	-----

Concrete Floor Anchor



3/8"	2-1/4"		9280QS	2.65	Ea.	0.1PPO
------	--------	--	--------	------	-----	--------

Tie Plate

Used to join Angle Post units side by side to insure proper row alignment.



3		3	46TP00P	9.25	Ea.	0.2
---	--	---	---------	------	-----	-----

Replacement Hardware

Four Wing Nuts and Four 10-24 x 5/8" TR HD Machine Screws required per Center Support.

Wing Nut For Center Support

8860QS	0.35	Ea.	0.1
--------	------	-----	-----

TR HD Machine Screw, 10-24 x 5/8"

8704QS	0.25	Ea.	0.1
--------	------	-----	-----

Touch Up Paint, Air Dry

12 oz. Spray Can

723 Light Putty	97723ZQS	77.70	Ea.	1.0
-----------------	----------	-------	-----	-----

General QuickShip LOCKER Information

LOCKER ORDER INFORMATION



The shaded area in the locker illustrations indicates pricing unit.

2 & 3-wide lockers must be ordered in multiples of 2 or 3, but are priced by the frame.

Example: For a row of ten lockers, Order nine 3-wide lockers and one 1-wide locker.

LOCKER HEIGHT

Height refers to the nominal height of the tier.

Example: 5 tier locker with a (tier) height of 12" with 6" legs

5 tiers x 12" tier height = 60" + 6" legs = 66" total height with legs.

(QuickShip Lockers have 6" legs as standard, but they can be supplied without legs if specified on the order.)



LOCKER ASSEMBLY

- QuickShip Locker Assembly by Penco is \$24 Net per frame for 1, 2, & 3 Tier, \$28 Net per frame for 5 & 6 Tier, \$28 Net for Wall Mount and \$78 Net for 16 Person lockers.
- You must specify on the order that you want the lockers assembled.
- When requesting assembly of exposed ends it must be clearly noted and the appropriate grouping must be identified.
- For information regarding Number Plates please refer to page 15.

To order assembled lockers, add an "A" suffix to the locker catalog number.

This changes the lead time from 72 hours to 5 days.

Lockers are assembled in 1, 2 or 3-wide groups only.

Assembly for accessories is not available except for Slope Top Kits & Front Bases.

For safety purposes, all lockers should be floor and wall anchored. Even when properly anchored, lockers are NOT designed to withstand stepping on bottoms or swinging on doors. PENCO ASSUMES NO RESPONSIBILITY FOR PRODUCT FAILURE OR PERSONAL INJURY IF PRODUCTS ARE MODIFIED OR USED FOR OTHER THAN THEIR DESIGNED PURPOSE.

The price books are only for reference, if there are any discrepancies between the price book and EQ, EQ will override the price book.